

SECTION 1 Chemical product and company identification

Chemical Chinese name	: 聚乙烯醇縮丁醛
Chemical English name	: Polyvinyl butyral
Synonyms	: B 14 S, B 16 H, B 20 H, B 30 H, B 30 HH, B 30 T, B 45 H, B 60 H, B 60 HH, B 60 T, B 75 H
Name of company	: Kuraray Europe GmbH
Title	: Manufacturer/Supplier
Address	: Germany Hattersheim am Main Philipp-Reis-Str. 4
Zip code	: 65795
Technical contact	: +49-69-305-13345
Email competent person	: product-safety@kuraray.com
Distributor	: Kuraray (Shanghai) Co., Ltd.
Address	: China Shanghai 200030 Xuhui District Address Unit 2207 2 Grand Gateway, 3 Hongqiao Road
Tel.	: +86-21-6119-8111
Emergency	: Emergency Telephone: +86-532-83889090 (24h NRCC hazardous Substances) and others 3E +86 4001 2001 74 (Access Code: 334674)
Recommended use of the chemical	: Industrial use temporary binder for ceramics adhesives Coating 3d printing printing inks
Restricted use of the chemical	: No additional information available

SECTION 2 Hazards identification

Emergency overview

Powder; Odorless; The product is non-reactive under normal conditions of use, storage and transport; No dangerous decomposition products should be formed under normal conditions of storage and use; No dangerous reactions are known under normal conditions of use; The product is not explosive; Not oxidising; Treat symptomatically

GHS hazard classification

Not classified

Label elements

No data available

Physical and chemical hazards

No additional information available

Health hazards

Symptoms/effects : Irritation of the respiratory tract, skin, eyes and mucous membranes possible.

Safety Data Sheet

Mowital® B

Compiled according to GB/T 16483, GB/T 17519
Revision date: 11/27/2023

Most Important Symptoms/Effects : No dangerous reactions known under normal conditions of use

Environmental hazards

No additional information available

Other hazards

Fine particles may form explosive mixtures with air. Prevent dust accumulation to minimize explosion hazard. This material does not ignite easily; however, feasible precautions against dust explosion are recommended.

SECTION 3 Composition/information on ingredients

Product form : Substance.

Ingredient(s)	Concentration or concentration ranges (w/w %)	CAS No.	Classification (GHS CN)
Polyvinylbutyral (Main constituent)	> 97.5	68648-78-2 or 63148-65-2	Not classified
water (Impurity)	< 2.4	7732-18-5	Not classified
butyraldehyde (Impurity)	< 0.05	123-72-8	Flammable liquids, Category 2 Serious eye damage/eye irritation, Category 2 Hazardous to the aquatic environment – Acute hazard, Category 3
sodium chloride (Impurity)	< 0.05	7647-14-5	Acute toxicity (Oral), Category 5

SECTION 4 First-aid measures

Description of necessary first-aid measures

- First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water
- First-aid measures after eye contact : Rinse eyes with water as a precaution
- First-aid measures after ingestion : Rinse mouth thoroughly with water. Call a poison center or a doctor if you feel unwell

Most important symptoms/effects

- Most Important Symptoms/Effects : No dangerous reactions known under normal conditions of use
- Symptoms/effects : Irritation of the respiratory tract, skin, eyes and mucous membranes possible.
Dust may cause irritation.

Safety Data Sheet

Mowital® B

Compiled according to GB/T 16483, GB/T 17519
Revision date: 11/27/2023

Advices for first aid responders

No additional information available

Notes for the doctor

Other medical advice or treatment : Treat symptomatically

SECTION 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire
Water spray
Dry powder
Foam

Unsuitable extinguishing media : Strong water jet

Specific hazards

Fire hazard : The product is not flammable. The product may form dust and build up electrostatic charges, which may produce an electric spark (ignition source). Proper grounding procedures to avoid static electricity should be followed.

Hazardous decomposition products in case of fire : Toxic fumes may be released

Advice for firefighters and protective measures

Firefighting instructions : Use ordinary fire-fighting measures, taking into account the hazards from other materials involved. Move containers away from the fire area if this can be done without risk.

Protection during firefighting : Do not attempt to take action without suitable protective equipment
Self-contained breathing apparatus
Complete protective clothing

Other information : Do not allow run-off from fire fighting to enter drains or water courses
Disposal must be done according to official regulations

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin, eyes and clothing

Personal Precautions, Protective Equipment and Emergency Procedures : Concerning personal protective equipment to use, see section 8

For non-emergency personnel

Emergency procedures : Ventilate spillage area

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment
For further information refer to section 8: "Exposure controls/personal protection"

Safety Data Sheet

Mowital® B

Compiled according to GB/T 16483, GB/T 17519
Revision date: 11/27/2023

Environmental precautions

Avoid release to the environment. Avoid sub-oil penetration
Environmental manager must be informed of all releases.

Methods and material for containment and cleaning up

Methods for cleaning : Avoid formation of dust. pick up dust with a vacuum cleaner with HEPA filter.
Do not use compressed air for cleaning.
For containment : No additional information available

Prevention measures for secondary accidents

Prevention Measures for Secondary Accidents : No additional information available
Other information : Disposal must be done according to official regulations

SECTION 7 Handling and storage

Handling

Precautions for safe handling : Avoid creating or spreading dust. The material must not be deposited in large quantities, especially on horizontal surfaces, as it could become released into the air from there, form flammable dust clouds and contribute to secondary explosions. Any unavoidable deposit of dust must be regularly removed. Prevent build-up of electrostatic charges (e.g, by grounding). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide appropriate exhaust ventilation at places of dust forming. Use only in well-ventilated areas. Observe recognised industrial hygiene measures. Avoid prolonged and repeated contact with skin.
Minimize dust generation/release and accumulation.
Ensure good ventilation of the work station
Wear personal protective equipment
Hygiene measures : Do not eat, drink or smoke when using this product.
Always wash hands after handling the product
Technical measures : Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local and general ventilation : No additional information available

Storage

Storage conditions : Store in the original container well sealed. Store in a well-ventilated place.
Keep cool.
Material used in packaging/containers : No additional information available
Incompatible materials : Keep away from strong acids and strong oxidizers.
Information about storage in one common storage facility : Keep away from food, drink and animal feeding stuffs

SECTION 8 Exposure controls / Personal protection equipment

Occupational exposure limits

Safety Data Sheet

Mowital® B

Compiled according to GB/T 16483, GB/T 17519
Revision date: 11/27/2023

butyraldehyde (123-72-8)	
China - Occupational Exposure Limits	
Local name	正丁醛 # n-Butylaldehyde
OEL PC-TWA	5 mg/m ³
OEL PC-STEL	10 mg/m ³
Regulatory reference	GBZ 2.1-2019

Biological limit values

No additional information available

Monitoring methods

No additional information available

Appropriate engineering controls

Ensure good ventilation of the work station

Personal protective equipment

Environmental exposure controls : Avoid release to the environment.

Hand protection : In case of repeated or prolonged contact wear gloves
ISO 374-1
Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer
Please follow the instructions related to the permeability and the penetration time provided by the manufacturer
Gloves must be replaced after each use and whenever signs of wear or perforation appear

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Nitrile rubber.	Nitrile rubber.	6 (> 480 minutes).	0,12		EN ISO 374.

Eye protection : Sealed safety goggles
ISO 16321-1

Skin and body protection : Wear suitable protective clothing
EN ISO 13688

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment
Dust production: dust mask with filter type P2
EN 143
Short term exposure
Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust

Safety Data Sheet

Mowital® B

Compiled according to GB/T 16483, GB/T 17519
Revision date: 11/27/2023

Other Information : Provide appropriate exhaust ventilation at places of dust forming. Ensure adequate air ventilation. Degree of ventilation must be adapted to the conditions. Where appropriate, use process chambers, local exhaust systems or other structural measures to control airborne concentrations to keep them below recommended exposure limits. If no exposure limits have been set, keep concentrations in the air at an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn.

SECTION 9 Physical and chemical properties

Physical state : Solid

Appearance : Powder

Colour : colorless, appearance white

Odour : odourless

pH : No data available

Relative evaporation rate (butylacetate=1) : Not applicable

Melting point : No data available

Freezing point : Not applicable

Boiling point : Not applicable

Flash point : Not applicable

Auto-ignition temperature : Not applicable.

Decomposition temperature : No data available

Vapour pressure : Not applicable

Relative vapour density at 20°C : Not applicable

Relative density : Not specifically applicable

Density : No data available

Relative gas density : Not specifically applicable

Solubility : No data available

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : Not applicable

Viscosity, dynamic : Not applicable

Lower explosion limit : No data available

Upper explosion limit : No data available

Radioactive : No

VOC content : < 2.5 %

Explosive properties : Product is not explosive

Oxidising properties : Non oxidizing

Additional information : Vicat softening temperature 50 - 63 °C DIN EN ISO 306

Dust explosion category : St 1 - Weak explosion

Safety Data Sheet

Mowital® B

Compiled according to GB/T 16483, GB/T 17519
Revision date: 11/27/2023

SECTION 10 Stability and reactivity

Chemical stability	: Stable under normal conditions
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Strong acids. Strong oxidizing agents.
Hazardous decomposition products	: Carbon oxides (CO,CO ₂).
Other properties	: No additional information available

SECTION 11 Toxicological information

Acute toxicity

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Skin corrosion/irritation

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
---------------------------	---

Serious eye damage/eye irritation

Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
-------------------------------	---

Respiratory or skin sensitisation

Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
-----------------------------------	---

Germ cell mutagenicity

Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
------------------------	---

Carcinogenicity

Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
-----------------	---

Reproductive toxicity

Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
-----------------------	---

STOT - single exposure

STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
----------------------	---

STOT - repeated exposure

STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
------------------------	---

Aspiration hazard

Aspiration hazard	: No data available (Not applicable)
-------------------	--------------------------------------

Safety Data Sheet

Mowital® B

Compiled according to GB/T 16483, GB/T 17519
Revision date: 11/27/2023

SECTION 12 Ecological information

Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

Persistence and degradability

Mowital® B (68648-78-2 or 63148-65-2)	
Persistence and degradability	No data available

Bioaccumulative potential

Mowital® B (68648-78-2 or 63148-65-2)	
Bioconcentration factor (BCF REACH)	No data available

Mobility in soil

Mowital® B (68648-78-2 or 63148-65-2)	
Surface tension	No data available

Other adverse effects

Classification procedure (Ozone) : Not classified (Based on available data, the classification criteria are not met).
No other adverse effects on the environment (e.g. ozone depletion, photochemical ozone formation potential, global warming potential) are expected from this constituent.

SECTION 13 Disposal considerations

Waste treatment methods : Disposal must be done according to official regulations, Do not dispose of with domestic waste, Do not discharge into drains or the environment.

Contaminated container and packaging : No additional information available

Additional information : No additional information available

Product/Packaging disposal recommendations : Recycle or dispose of in compliance with current legislation

SECTION 14 Transport information

In accordance with JT/T 617 / IMDG / IATA

Safety Data Sheet

Mowital® B

Compiled according to GB/T 16483, GB/T 17519
Revision date: 11/27/2023

Overland transport (JT/T 617)	Transport by sea	Air transport
UN number		
Not applicable	Not applicable	Not applicable
Proper shipping name		
Not applicable	Not applicable	Not applicable
Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
Packing group		
Not applicable	Not applicable	Not applicable
Environmental hazards		
Not applicable	Not applicable	Not applicable
No supplementary information available		

Special transport precautions

Overland transport (JT/T 617)

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15 Regulatory information

Dangerous Goods List (GB 12268-2012) : Contains listed substance(s).

New Chemical Substance Environmental Management Registration Measures (MEE Order 12 of 2020)

Inventory of Existing Chemical Substances : Contains listed substance(s)

in China (IECSC)

Acetic acid ethenyl ester, polymer with ethenol, cyclic acetal with butanal
(CAS-No. 68648-78-2)

Water (CAS-No. 7732-18-5)

n-Butylaldehyde (CAS-No. 123-72-8)

Sodium chloride (CAS-No. 7647-14-5)

Regulations on the Safe Management of Hazardous Chemicals (Decree 591 of the State Council)

Catalogue of Hazardous Chemicals (2015) : Contains Hazardous Chemical(s)

n-Butylaldehyde (CAS-No. 123-72-8)

Law of the People's Republic of China on the Prevention and Control of Occupational Diseases

Catalogue for Classification of Hazardous : Contains listed substance(s)

Factors of Occupational Diseases

n-Butylaldehyde (CAS-No. 123-72-8)

Other domestic regulatory lists

Safety Data Sheet

Mowital® B

Compiled according to GB/T 16483, GB/T 17519
Revision date: 11/27/2023

Dangerous Goods List (GB 12268-2012) : Contains listed substance(s)
n-Butyraldehyde (CAS-No. 123-72-8)

SECTION 16 Other information

Data sources : Information provided by the manufacturer

Department issuing data specification sheet: : KFT Chemieservice GmbH
Im Leuschnerpark 3
D-64347 Griesheim

Phone: +49 6155-8981-400
Fax: +49 6155 8981-500
SDS Service: +49 6155 8981-522

Contact person : Dr. Christian Rank

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet

Safety Data Sheet

Mowital® B

Compiled according to GB/T 16483, GB/T 17519
Revision date: 11/27/2023

Abbreviations and acronyms

STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Other information

: A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

KFT SDS CN 01 - Version 23.1

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable