

# Safety Data Sheet



Mowital® BA

according to JIS Z 7253 : 2019

Issue date: 7/19/2023 Revision date: 7/19/2023 Version: 1.00

## 1. Chemical product and company identification

Substance name : Mowital® BA  
Type of product : Polymer  
Product code : 200003  
CAS-No. : 70775-95-0  
Synonyms : BA 20 S, BA 55 HH

### Recommended use of the chemical and restrictions on use

Recommended use : Industrial use, Temporary binder for ceramics; Coating; Adhesives; 3D Printing; Additive/binder for primer; Printing ink

### Company information

#### Manufacturer

Kuraray Europe GmbH  
Philipp-Reis-Str. 4  
65795 Hattersheim am Main  
Germany  
Telephone: +49-69-305-85300  
Technical Contact: +49-69-305-13345  
E-mail: product-safety@kuraray.com

#### Distributor

Kuraray Co., Ltd.  
100-0004 Otemachi, Chiyoda-ku Tokiwabashi Tower 2-6-4  
Tokyo, Japan  
Telephone: +81-3-6701-1422  
<https://www.kuraray.co.jp/inquiry>

### Emergency telephone number

Emergency number : +81-3-6701-1422 or + 81-3689-08677 (Access Code: 334674)

## 2. Hazards identification

No labelling applicable

### Other hazards which do not result in classification

Other hazards which do not result in classification : Fine particles may form explosive mixtures with air. Prevent dust accumulation to minimize explosion hazard. This material does not ignite easily; however, feasible precautions against dust explosion are recommended.

## 3. Composition/information on ingredients

Distinction of substance or mixture : Substance  
Chemical name : polyvinyl butyral acetal  
Synonyms : BA 20 S, BA 55 HH  
Comments : > 97.5 % Polyvinyl butyral acetal (CAS: 70775-95-0).

Name	Concentration (%)	Formula	Reference number in the gazette list		CAS-No.
			CSCL No.	ISHL No.	
polyvinyl butyral acetal (Main constituent)	> 97.5	-	-	-	70775-95-0
water (Impurity)	< 2.4	H2O	2-(4)-1220	2-(4)-1220	7732-18-5

# Safety Data Sheet

Mowital® BA

according to JIS Z 7253 : 2019

---

## 4. First aid measures

### First aid measures

- First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water.
- First-aid measures after eye contact : Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### Most Important Symptoms/Effects

- Symptoms/effects : Dust may irritate the respiratory tract, skin and eyes.

### Notes to physician

- Other medical advice or treatment : Treat symptomatically.

## 5. Fire fighting measures

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire, Water spray, Dry powder, Foam, Carbon dioxide
- Unsuitable extinguishing media : Strong water jet
- Fire hazard : The product is not flammable. The product may form dust and build up electrostatic charges, which may produce an electric spark (ignition source). Proper grounding procedures to avoid static electricity should be followed.
- Reactivity in case of fire : Avoid formation of dust. Risk of dust explosion if enriched with fine dust in the presence of air.
- Hazardous decomposition products in case of fire : Toxic fumes may be released, Carbon dioxide, Carbon monoxide
- Firefighting instructions : Use ordinary fire-fighting measures, taking into account the hazards from other materials involved. Move containers away from the fire area if this can be done without risk.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment.  
Self-contained breathing apparatus.  
Complete protective clothing.
- Other information : Do not allow run-off from fire fighting to enter drains or water courses.  
Disposal must be done according to official regulations.  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. During fire, gases hazardous to health may be formed.

## 6. Accidental release measures

### Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Avoid inhalation of dust and contact with skin and eyes.

### For non-emergency personnel

- Emergency procedures : Ventilate spillage area.  
Avoid inhalation of dust and contact with skin and eyes.

### For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment.  
For further information refer to section 8: "Exposure controls/personal protection".

# Safety Data Sheet

Mowital® BA

according to JIS Z 7253 : 2019

---

## Environmental precautions

Environmental precautions : Environmental manager must be informed of all releases.

## Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.

Avoid formation of dust. Pick up dust with a vacuum cleaner with HEPA filter. Do not use compressed air for cleaning.

Other information : Disposal must be done according to official regulations.

## 7. Handling and storage

### Handling

Technical measures : Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Precautions for safe handling : Ensure good ventilation of the work station.

Wear personal protective equipment.

Avoid creating or spreading dust. The material must not be deposited in large quantities, especially on horizontal surfaces, as it could become released into the air from there, form flammable dust clouds and contribute to secondary explosions. Any unavoidable deposit of dust must be regularly removed. Prevent build-up of electrostatic charges (e.g. by grounding). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide appropriate exhaust ventilation at places of dust forming. Use only in well-ventilated areas. Observe recognised industrial hygiene measures. Avoid prolonged and repeated contact with skin.

Prevents handling of incompatible substances or mixtures : No data available

Hygiene measures : Do not eat, drink or smoke when using this product.  
Always wash hands after handling the product.

### Storage

Storage conditions : Store in a well-ventilated place.

Keep cool.

Keep container tightly closed. Store in original tightly closed container.

Material used in packaging/containers : No data available

Incompatible materials : Keep away from strong acids and strong oxidizers.

Information about storage in one common storage facility : Keep away from food, drink and animal feeding stuffs.

## 8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Ensure good ventilation of the work station

### Protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment, Dust production: dust mask with filter type P2, EN 143, Short term exposure, Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust

Hand protection : In case of repeated or prolonged contact wear gloves, Nitrile rubber, ISO 374-1, Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer, Please follow the instructions related to the permeability and the penetration time provided by the manufacturer, Gloves must be replaced after each use and whenever signs of wear or perforation appear

# Safety Data Sheet

## Mowital® BA

according to JIS Z 7253 : 2019

---

Eye protection	: Wear closed safety glasses, ISO 16321-1
Skin and body protection	: Wear suitable protective clothing, EN ISO 13688
Environmental exposure controls	: Avoid release to the environment.

## 9. Physical and chemical properties

Physical state	: Solid
Appearance	: Powder
Colour	: colourless, appearance white
Odour	: odourless
pH	: No data available
Relative evaporation rate (butylacetate=1)	: Not applicable
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: No data available
Vapour pressure	: Not applicable
Relative vapour density at 20° C	: Not applicable
Relative density	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Explosive properties	: Product is not explosive.
Explosive limits (vol %)	: No data available
Oxidising properties	: Non oxidizing
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
VOC content	: < 2.5 %
Dust explosion category	: ST 1 - Weak explosion
Additional information	: Vicat softening temperature 75 - 85 °C DIN EN ISO 306

## 10. Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid creating or spreading dust.
Incompatible materials	: Strong acids. Strong oxidizing agent.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

Acute toxicity (oral)	: (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: (Based on available data, the classification criteria are not met)

# Safety Data Sheet

## Mowital® BA

according to JIS Z 7253 : 2019

Skin corrosion/irritation	: (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: (Based on available data, the classification criteria are not met)
Respiratory sensitization	: No data available
Skin sensitization	: No data available
Respiratory or skin sensitisation	: (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: (Based on available data, the classification criteria are not met)
Carcinogenicity	: (Based on available data, the classification criteria are not met)
Reproductive toxicity	: (Based on available data, the classification criteria are not met)
STOT-single exposure	: (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: (Based on available data, the classification criteria are not met)
Aspiration hazard	: (Based on available data, the classification criteria are not met)

## 12. Ecological information

### Ecotoxicity

Hazardous to the aquatic environment, short-term (acute)	: (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: (Based on available data, the classification criteria are not met)

### Persistence and degradability

polyvinyl butyral acetal (70775-95-0)	
Persistence and degradability	No data available.

### Bioaccumulative potential

polyvinyl butyral acetal (70775-95-0)	
Bioaccumulative potential	No data available

### Mobility in soil

polyvinyl butyral acetal (70775-95-0)	
Mobility in soil	No data available

### Hazardous to the ozone layer

Ozone	: (Based on available data, the classification criteria are not met)
-------	--

### Other adverse effects

## 13. Disposal considerations

Product/Packaging disposal recommendations	: Recycle or dispose of in compliance with current legislation.
Waste treatment methods	: Disposal must be done according to official regulations. Do not discharge into drains or the environment. Do not dispose of with domestic waste.

## 14. Transport information

### International Regulations

# Safety Data Sheet

Mowital® BA

according to JIS Z 7253 : 2019

United Nations Recommendations on the Transport of Dangerous Goods (UN RTDG)	Transport by sea (IMDG)	Air transport (IATA)
<b>UN number</b>		
Not applicable	Not applicable	Not applicable
<b>UN proper shipping name</b>		
Not applicable	Not applicable	Not applicable
<b>Transport hazard class(es)</b>		
Not applicable	Not applicable	Not applicable
<b>Packing group</b>		
Not applicable	Not applicable	Not applicable
<b>Environmental hazards</b>		
Not applicable	Not applicable	Not applicable

Marine pollutant : Not applicable

## Regulations in Japan

Other information : No supplementary information available

## 15. Regulatory information

### National law

Other information, restriction and prohibition regulations : Listed on the Japanese ENCS (Existing New Chemical Substances) inventory, Fire Service Act: Designated combustible material (Synthetic resins, others) (Storage limit: 3000 kg)

## 16. Other information

Data sources : Information provided by the manufacturer.  
Supplier Safety Data Sheet.

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable