

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021) Issue date: 5/5/2023 Revision date: 5/5/2023 Version: 1.00

SECTION 1: Identification

1.1. GHS Product identifier

Product form : Substance Trade name : Mowital® B Chemical name : polyvinyl butyral Type of product : Polymer

CAS-No. : 68648-78-2 or 63148-65-2

Product code : 200002

Synonyms : B 14 S, B 16 H, B 20 H, B 30 H, B 30 HH, B 30 T, B 45 H, B 60 H, B 60 HH, B 60 T, B 75 H

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Industrial use

Temporary binder for ceramics

Adhesives Coating 3d printing Printing inks

1.4. Supplier's details

Manufacturer/Supplier

Kuraray Europe GmbH Philipp-Reis-Str. 4

DE- 65795 Hattersheim am Main

Germany

T +49 (0)69 305 85300

Technical contact: +49 (0)69 305 13345

product-safety@kuraray.com

Distributor

Kuraray America, Inc.

3700 Bay Area Blvd., Suite 680

Houston, TX 77058

USA

Telephone: 1-800-423-9762 (within USA) Telephone: +1-281-283-1711 (international)

E-Mail: info@kurarayamerica.com

Email competent person

product-safety@kuraray.com

1.5. Emergency phone number

Emergency number : +57 1 344 1317 (Access Code: 334674)

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Not classified

Adverse physicochemical, human health and

environmental effects

: To our knowledge, this product does not present any particular risk, provided it is handled in

accordance with good occupational hygiene and safety practice

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

No labelling applicable

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification

: Fine particles may form explosive mixtures with air. Prevent dust accumulation to minimize explosion hazard. This material does not ignite easily; however, feasible precautions against dust explosion are recommended.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical name : polyvinyl butyral

CAS-No. : 68648-78-2 or 63148-65-2

Product identifiers: See section 1.1

Name	Product identifier	%	Classification according to the United Nations GHS
Polyvinylbutyral (Main constituent)	CAS-No.: 63148-65-2	> 97.5	Not classified
water (Impurity)	CAS-No.: 7732-18-5 EC-No.: 231-791-2	< 2.4	Not classified
butyraldehyde (Impurity)	CAS-No.: 123-72-8 EC-No.: 204-646-6 EC Index-No.: 605-006-00-2	< 0.05	Flammable liquids, Category 2, H225 Serious eye damage/eye irritation, Category 2B, H320 Hazardous to the aquatic environment – Acute Hazard, Category 3, H402
sodium chloride (Impurity)	CAS-No.: 7647-14-5 EC-No.: 231-598-3	< 0.05	Acute toxicity (oral), Category 5, H303

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention. Contact with dust:

Irritating to eyes and mucous membranes.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects : Irritation of the respiratory tract, skin, eyes and mucous membranes possible.

Potential adverse human health effects and : Dust may irritate the respiratory tract, skin and eyes.

symptoms

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

5/5/2023 (Revision date) UN - en 2/8

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Water haze. Foam. Dry powder.

Carbon dioxide

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Specific hazards arising from the chemical

Fire hazard : The product is not flammable. The product may form dust and build up electrostatic

charges, which may produce an electric spark (ignition source). Proper grounding

procedures to avoid static electricity should be followed.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Special protective actions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be

done according to official regulations. Fine dust dispersed in air may ignite. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. The product is not flammable.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin, eyes and clothing. Concerning personal protective equipment to

use, see section 8.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Environmental manager must be informed of all releases.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.

Avoid dust formation. Collect dust or particulates using a vacuum cleaner with a HEPA filter.

Other information : Disposal must be done according to official regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Ensure good ventilation of the work station. Wear personal protective equipment. Minimize dust generation/release and accumulation. Avoid creating or spreading dust. The material must not be deposited in large quantities, especially on horizontal surfaces, as it could become released into the air from there, form flammable dust clouds and contribute to secondary explosions. Any unavoidable deposit of dust must be regularly removed. Prevent build-up of electrostatic charges (e.g, by grounding). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide appropriate exhaust ventilation at places of dust forming. Use only in well-ventilated areas. Observe recognised industrial hygiene measures. Avoid prolonged and repeated contact with skin.

Technical measures : Provide adequate precautions, such as electrical grounding and bonding, or inert

atmospheres.

5/5/2023 (Revision date) UN - en 3/8

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store in original

tightly closed container.

Incompatible materials : Keep away from strong acids and strong oxidizers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection

: In case of repeated or prolonged contact wear gloves. ISO 374-1. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be

replaced after each use and whenever signs of wear or perforation appear

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Nitrile rubber	Nitrile rubber	6 (> 480 minutes)	0,12		EN ISO 374

Eye protection : Sealed safety goggles. ISO 16321-1

Skin and body protection : Wear suitable protective clothing. EN ISO 13688

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Dust production: dust

mask with filter type P2. EN 143. Short term exposure. Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing

measures have been carried out e.g. retention and/or local exhaust

8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Partition coefficient n-octanol/water (Log Kow)

Physical state : Solid
Appearance : Powder

Colour : colorless, appearance white.

Odour odourless. Odour threshold : Not available Melting point : Not available Freezing point Not applicable Not available Boiling point : Not available Flammability Lower explosion limit Not applicable Upper explosion limit Not applicable Flash point Not applicable Auto-ignition temperature Not applicable. Decomposition temperature Not available Not available pН Not available pH solution Viscosity, kinematic (calculated value) (40 °C) Not applicable

5/5/2023 (Revision date) UN - en 4/8

Not available

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Vapour pressure : Not applicable
Vapour pressure at 50°C : Not available
Density : Not available

Relative density : Not specifically applicable

Relative vapour density at 20°C : Not applicable

Relative gas density : Not specifically applicable

Solubility : Not available
Viscosity, dynamic : Not applicable
Particle size : Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

Explosive properties : Product is not explosive

Oxidising properties : Non oxidizing Relative evaporation rate (butylacetate=1) : Not applicable VOC content : < 2.5 %

Dust explosion category : ST 1 - Weak explosion

Additional information : Vicat softening temperature 50 - 63 °C DIN EN ISO 306

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid creating or spreading dust.

10.5. Incompatible materials

Strong acids. Strong oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Skin corrosion/irritation : Dust may irritate the respiratory tract, skin and eyes. Serious eye damage/irritation : Dust may irritate the respiratory tract, skin and eyes.

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified

5/5/2023 (Revision date) UN - en 5/8

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

polyvinyl butyral (68648-78-2 or 63148-65-2)		
Viscosity, kinematic	Not applicable	
Potential adverse human health effects and : Dust may irritate the respiratory tract, skin and eyes. symptoms		

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

: Not classified (Based on available data, the classification criteria are not met)

(acute)
Hazardous to the aquatic environment, long–term

: Not classified (Based on available data, the classification criteria are not met)

(chronic)

12.2. Persistence and degradability

polyvinyl butyral (68648-78-2 or 63148-65-2)		
Persistence and degradability	No additional information available	
butyraldehyde (123-72-8)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	46 – 57 % (5 d; (OECD 301C method))	
sodium chloride (7647-14-5)		
Persistence and degradability	Not applicable.	

12.3. Bioaccumulative potential

polyvinyl butyral (68648-78-2 or 63148-65-2)		
Bioaccumulative potential	No additional information available	
butyraldehyde (123-72-8)		
Bioconcentration factor (BCF REACH)	3.162 (calculated value)	
Partition coefficient n-octanol/water (Log Kow)	1.3 (20 °C; pH 4.4 - 4.7; (OECD 107 method))	
sodium chloride (7647-14-5)		
Partition coefficient n-octanol/water (Log Kow)	-3	

12.4. Mobility in soil

polyvinyl butyral (68648-78-2 or 63148-65-2)		
Mobility in soil	No additional information available	
butyraldehyde (123-72-8)		
Surface tension	70 mN/m (20 °C; 1 g/L; (OECD 115 method))	
sodium chloride (7647-14-5)		
Ecology - soil	Expected to be highly mobile in soil.	

12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this

component.

5/5/2023 (Revision date) UN - en 6/8

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Disposal must be done according to official regulations. Do not discharge into drains or the

environment. Do not dispose of with domestic waste.

Product/Packaging disposal recommendations : Recycle or dispose of in compliance with current legislation.

SECTION 14: Transport information

In accordance with UN RTDG / IMDG / IATA

UN RTDG	IMDG	IATA	
14.1. UN number			
Not regulated for transport			
14.2. UN Proper Shipping Name			
Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	
No supplementary information available	,		

14.6. Special precautions for user

UN RTDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Other information, restriction and prohibition regulations

: A safety data sheet is not required for this product in accordance with national legal requirements. This document has been created on a voluntary basis following the format of the safety data sheet.

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 16: Other information

Issue date : 05/05/2023 Revision date : 05/05/2023

Data sources : Information provided by the manufacturer.

Department issuing data specification sheet: : KFT Chemieservice GmbH

Im Leuschnerpark 3 D-64347 Griesheim

Phone: +49 6155-8981-400 Fax: +49 6155 8981-500 SDS Service: +49 6155 8981-522

Contact person : Dr. Christian Rank

Abbreviations and acronyms : ADN - European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR - European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE - Acute Toxicity Estimate BCF - Bioconcentration factor

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

DMEL - Derived Minimal Effect level
DNEL - Derived-No Effect Level
EC50 - Median effective concentration

IARC - International Agency for Research on Cancer IATA - International Air Transport Association IMDG - International Maritime Dangerous Goods

LC50 - Median lethal concentration

LD50 - Median lethal dose

LOAEL - Lowest Observed Adverse Effect Level NOAEC - No-Observed Adverse Effect Concentration

NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration

OECD - Organisation for Economic Co-operation and Development

PBT - Persistent Bioaccumulative Toxic PNEC - Predicted No-Effect Concentration

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS - Safety Data Sheet STP - Sewage treatment plant TLM - Median Tolerance Limit

vPvB - Very Persistent and Very Bioaccumulative

Full text of H-statements:	
H225	Highly flammable liquid and vapour
H303	May be harmful if swallowed
H320	Causes eye irritation
H402	Harmful to aquatic life

KFT SDS UN 01

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.