

SECTION 1: Identification

1.1. Identification

Product form	: Substance
Trade name	: Mowital® BA
Chemical name	: polyvinyl butyral acetal
CAS-No.	: 70775-95-0
Product code	: 200003
Synonyms	: BA 20 S, BA 55 HH

1.2. Recommended use and restrictions on use

Recommended use	: Industrial use, Temporary binder for ceramics; Coating; Adhesives; 3D Printing; Additive/binder for primer; Printing ink
-----------------	--

1.3. Supplier

Manufacturer/Supplier

Kuraray Europe GmbH
Philipp-Reis-Str. 4
Hattersheim am Main, 65795
Germany
T +49 (0)69 305 35835;
product-safety@kuraray.com

Email competent person

product-safety@kuraray.com

Distributor

Kuraray America, Inc.
3700 Bay Area Blvd., Suite 680
Houston, TX 77058
USA
Telephone: 1-800-423-9762 (within USA)
Telephone: +1-281-283-1711 (international)
E-Mail: info@kurarayamerica.com

1.4. Emergency telephone number

Emergency number	: +1 760 476 3962 or +1 866 519 4752 (Access Code: 334674)
------------------	--

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Combustible Dust

May form combustible dust concentrations in air

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: May form combustible dust concentrations in air
Precautionary statements (GHS US)	: P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking. P240 - Ground/Bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment.

Mowital® BA

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : Fine particles can form explosive mixtures with air. Avoid creating or spreading dust. Difficult to ignite. Possible precautions against a dust explosion recommended.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Chemical name : polyvinyl butyral acetal
CAS-No. : 70775-95-0

Name	Product identifier	%	GHS US classification
polyvinyl butyral acetal (Main constituent)	CAS-No.: 70775-95-0	> 97.5	Not classified
water (Impurity)	CAS-No.: 7732-18-5	< 2.4	Not classified

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Irritation of the respiratory tract, skin, eyes and mucous membranes possible.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide. When using the extinguishing agent, make sure no dust is formed in the air.
Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Mowital® BA

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

5.2. Specific hazards arising from the chemical

- Fire hazard : The product is not flammable. The product may form dust and build up electrostatic charges, which may produce an electric spark (ignition source). Proper grounding procedures to avoid static electricity should be followed.
- Reactivity in case of fire : Avoid formation of dust. Risk of dust explosion if enriched with fine dust in the presence of air.
- Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use ordinary fire-fighting measures, taking into account the hazards from other materials involved. Move containers away from the fire area if this can be done without risk.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Other information : Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be done according to official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Avoid inhalation of dust and contact with skin and eyes.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Environmental manager must be informed of all releases.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Avoid formation of dust. Pick up dust with a vacuum cleaner with HEPA filter. Do not use compressed air for cleaning.
- Other information : Disposal must be done according to official regulations.

6.4. Reference to other sections

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid creating or spreading dust. The material must not be deposited in large quantities, especially on horizontal surfaces, as it could become released into the air from there, form flammable dust clouds and contribute to secondary explosions. Any unavoidable deposit of dust must be regularly removed. Prevent build-up of electrostatic charges (e.g. by grounding). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide appropriate exhaust ventilation at places of dust forming. Use only in well-ventilated areas. Observe recognised industrial hygiene measures. Avoid prolonged and repeated contact with skin.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Mowital® BA

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store in original tightly closed container.
Incompatible materials	: Keep away from strong acids and strong oxidizers.
Information about storage in one common storage facility	: Keep away from food, drink and animal feeding stuffs.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

polyvinyl butyral acetal (70775-95-0)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

In case of repeated or prolonged contact wear gloves. Nitrile rubber. ISO 374-1. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Eye protection:

Wear closed safety glasses. ISO 16321-1

Skin and body protection:

Wear suitable protective clothing. EN ISO 13688

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Dust production: dust mask with filter type P2. EN 143. Short term exposure. Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Color	: Colourless. Appearance white.
Odor	: odourless
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: Not applicable
Flammability (solid, gas)	: No data available

Mowital® BA

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

Vapor pressure	: Not applicable
Relative vapor density at 20°C	: Not applicable
Particle size	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosion limits	: No data available
Explosive properties	: Product is not explosive.
Oxidizing properties	: Non oxidizing material.

9.2. Other information

Dust explosion category : St 1 - Weak explosion

VOC content : < 2.5 %

Additional information : Vicat softening temperature 75 - 85 °C DIN EN ISO 306

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong acids. Strong oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitization	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)

Mowital® BA

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified
Viscosity, kinematic	: Not applicable

polyvinyl butyral acetal (70775-95-0)

Viscosity, kinematic	Not applicable
----------------------	----------------

water (7732-18-5)

Viscosity, kinematic	No data available
----------------------	-------------------

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

polyvinyl butyral acetal (70775-95-0)

Persistence and degradability	No data available.
-------------------------------	--------------------

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : No other adverse effects on the environment (e.g. ozone depletion, photochemical ozone formation potential, global warming potential) are expected from this constituent.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Disposal must be done according to official regulations. Do not dispose of with domestic waste. Do not discharge into drains or the environment.
Product/Packaging disposal recommendations	: Recycle or dispose of in compliance with current legislation.

SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not applicable	Not applicable	Not applicable

Mowital® BA

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

DOT	IMDG	IATA
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable
No supplementary information available		

14.6. Special precautions for user

DOT

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

acetaldehyde	CAS-No. 75-07-0	< 0.1%
--------------	-----------------	--------

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

acetaldehyde	CAS-No. 75-07-0	< 0.1%
--------------	-----------------	--------

15.2. International regulations

acetaldehyde (75-07-0)


Listed as carcinogen on NTP (National Toxicology Program)

Mowital® BA

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

15.3. US State regulations

 **WARNING:** This product can expose you to acetaldehyde, ethanal, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
acetaldehyde(75-07-0)	U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

Revision date : 03/17/2023
Data sources : Information provided by the manufacturer. Supplier Safety Data Sheet.
Department issuing data specification sheet: : KFT Chemieservice GmbH
Im Leuschnerpark 3
D-64347 Griesheim

Phone: +49 6155-8981-400
Fax: +49 6155 8981-500
SDS Service: +49 6155 8981-522

Contact person : Dr. Christian Rank

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic

Mowital® BA

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

Abbreviations and acronyms	
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

KFT SDS US 01

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.