

SECTION 1 Chemical product and company identification

Chemical Chinese name	: 聚乙烯醇缩丁醛
Chemical English name	: Polyvinyl butyral acetal
Synonyms	: BA 20 S, BA 55 HH
Name of company	: Kuraray (Shanghai) Co., Ltd.
Title	: Distributor
Address	: China Shanghai 200030 Xuhui District Address Unit 2207 2 Grand Gateway, 3 Hongqiao Road
Tel.	: +86-21-6119-8111
E-mail	: <u>https://www.kuraray.co.jp/inquiry</u>
Emergency number	: Emergency Telephone: +86-532-83889090 (24h NRCC hazardous Substances) and others 3E +86 4001 2001 74 (Access Code: 334674)
Email competent person	: product-safety@kuraray.com
Manufacturer	: Kuraray Europe GmbH
Address	: Germany Hattersheim am Main Philipp-Reis-Str. 4
Zip Code	: 65795
Tel.	: +49 (0)69 305 85300
Technical contact	: +49-69-305-13345
E-mail	: product-safety@kuraray.com
Recommended use of the chemical	: Industrial use; Temporary binder for ceramics; Coating; Adhesives; 3D Printing; Additive/binder for primer; Printing ink
Restricted use of the chemical	: No additional information available

SECTION 2 Hazards identification

Emergency overview

Colourless, appearance white. odourless. The product is non-reactive under normal conditions of use, storage and transport. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Strong acids. Strong oxidizing agent. No data available. No dangerous reactions known under normal conditions of use. Product is not explosive. Non oxidizing. Treat symptomatically

GHS hazard classification

Not classified

Label elements

Not classified

Physical and chemical hazards

No additional information available

Health hazards

No additional information available

Mowital® BA Compiled according to GB/T 16483, GB/T 17519 Revision date: 7/4/2023

Environmental hazards

No additional information available

Other hazards

Fine particles can form explosive mixtures with air. Avoid creating or spreading dust. Difficult to ignite. Possible precautions against a dust explosion recommended.

SECTION 3 Composition/information on ingredients

Product form

: Substance.

Comments

: > 97.5 % Polyvinyl butyral acetal (CAS: 70775-95-0).

Ingredient(s)	Concentration or concentration ranges (w/w %)	CAS No.	Classification (GHS CN)
polyvinyl butyral acetal (Main constituent)	> 97.5	70775-95-0	Not classified
water (Impurity)	< 2.4	7732-18-5	Not classified

SECTION 4 First-aid measures

Description of necessary first-aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water
First-aid measures after eye contact	: Rinse eyes with water as a precaution
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell
Most important symptoms/effects	
No additional information available	
Advices for first aid responders	
No additional information available	
Notes for the doctor	
Other medical advice or treatment	: Treat symptomatically

SECTION 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire Water spray; Dry powder; Foam; Carbon dioxide
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire

Mowital® BA

Compiled according to GB/T 16483, GB/T 17519 Revision date: 7/4/2023

Specific hazards

Specific nazarus	
Fire hazard	: The product is not flammable. The product may form dust and build up electrostatic charges, which may produce an electric spark (ignition source). Proper grounding procedures to avoid static electricity should be followed.
Hazardous decomposition products in case of fire	: Toxic fumes may be released; Carbon dioxide; Carbon monoxide
Reactivity in case of fire	: Avoid formation of dust. Risk of dust explosion if enriched with fine dust in the presence of air.
Advice for firefighters and protective me	asures
Firefighting instructions	: Firefighting instructions: Use ordinary fire-fighting measures, taking into account the hazards from other materials involved. Move containers away from the fire area if this can be done without risk.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment Self-contained breathing apparatus; Complete protective clothing
Other information	: Do not allow run-off from fire fighting to enter drains or water courses Disposal must be done according to official regulations

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures :	Avoid inhalation of dust and contact with skin and eyes
Personal Precautions, Protective :	No additional information available
Equipment and Emergency Procedures	
For non-emergency personnel	
Emergency procedures :	Ventilate spillage area
	Avoid inhalation of dust and contact with skin and eyes
For emergency responders	
Protective equipment :	Do not attempt to take action without suitable protective equipment
	For further information refer to section 8: "Exposure controls/personal protection"
Environmental precautions	
	Environmental manager must be informed of all releases.
Methods and material for containment and cl	eaning up
Methods for cleaning :	Methods for cleaning up: Collect dust using a vacuum cleaner equipped with HEPA filter.
For containment :	No additional information available
Prevention measures for secondary accidents	
Prevention Measures for Secondary : Accidents	No additional information available
Other information :	Disposal must be done according to official regulations

SECTION 7 Handling and storage

Mowital® BA

Compiled according to GB/T 16483, GB/T 17519 Revision date: 7/4/2023

Handling

Precautions for safe handling	: Ensure good ventilation of the work station
	Wear personal protective equipment
	Avoid creating or spreading dust. The material must not be deposited in large
	quantities, especially on horizontal surfaces, as it could become released into the
	air from there, form flammable dust clouds and contribute to secondary
	explosions. Any unavoidable deposit of dust must be regularly removed. Prevent
	build-up of electrostatic charges (e.g, by grounding). Keep away from heat, hot
	surfaces, sparks, open flames and other ignition sources. No smoking. Provide
	appropriate exhaust ventilation at places of dust forming. Use only in well-
	ventilated areas. Observe recognised industrial hygiene measures. Avoid
	prolonged and repeated contact with skin.
Hygiene measures	: Do not eat, drink or smoke when using this product.
	Always wash hands after handling the product
Local and general ventilation	: No additional information available
Storage	
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store
	in origional tightly closed container.
Material used in packaging/containers	: No additional information available
Incompatible materials	: Keep away from strong acids and strong oxidizers.
Information about storage in one common storage facility	: Keep away from food, drink and animal feeding stuffs

SECTION 8 Exposure controls / Personal protection equipment

Occupational exposure limits

No additional information available

Biological limit values

No additional information available

Monitoring methods

No additional information available

Appropriate engineering controls

Ensure good ventilation of the work station

Personal protective equipment

Environmental exposure controls	: Avoid release to the environment.
Hand protection	 In case of repeated or prolonged contact wear gloves Nitrile rubber ISO 374-1 Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer Please follow the instructions related to the permeability and the penetration time provided by the manufacturer Gloves must be replaced after each use and whenever signs of wear or perforation appear

Mowital® BA

Compiled according to GB/T 16483, GB/T 17519 Revision date: 7/4/2023

Eye protection	: Wear closed safety glasses ISO 16321-1
Skin and body protection	: Wear suitable protective clothing EN ISO 13688
Respiratory protection	 In case of insufficient ventilation, wear suitable respiratory equipment Dust production: dust mask with filter type P2 EN 143 Short term exposure Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust

SECTION 9 Physical and chemical properties

Physical state	: Solid
Appearance	: Powder
Colour	: colourless, appearance white
Odour	: odourless
рН	: No data available
Relative evaporation rate (butylacetate=1)	: Not applicable
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Vapour pressure	: Not applicable
Relative vapour density at 20°C	: Not applicable
Density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log	: No data available
Pow)	
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Radioactive	: No
Explosive properties	: Product is not explosive
Oxidising properties	: Non oxidizing
Particle size	: No data available
Additional information	: Vicat softening temperature 75-85°C DIN EN ISO 306
Dust explosion category	: ST 1 - Weak explosion

Mowital® BA Compiled according to GB/T 16483, GB/T 17519 Revision date: 7/4/2023

VOC

: < 2.5%

SECTION 10 Stability and reactivity

Chemical stability	: Stable under normal conditions
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use
Conditions to avoid	: No additional information available
Incompatible materials	: Strong acids Strong oxidizing agent
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced
Other properties	: No additional information available

SECTION 11 Toxicological information

Acute toxicity

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/eye irritation	
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT - single exposure	
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)

Mowital® BA Compiled according to GB/T 16483, GB/T 17519 Revision date: 7/4/2023

STOT - repeated exposure	
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	
Aspiration hazard	: No data available (Not applicable)
polyvinyl butyral acetal (70775-95-0)	
Viscosity, kinematic	Not applicable

SECTION 12 Ecological information

Ecotoxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)	
Hazardous to the aquatic environment, long–term (chronic) No additional information available	: Not classified (Based on available data, the classification criteria are not met)	
Persistence and degradability		
No additional information available		
Bioaccumulative potential		
No additional information available		
Mobility in soil		
No additional information available		
Other adverse effects		
Classification procedure (Ozone)	: Not classified (Based on available data, the classification criteria are not met)	
Other information	: No other adverse effects on the environment (e.g. ozone depletion, photochemical ozone formation potential, global warming potential) are expected from this constituent.	
SECTION 13 Disposal considerations		

Waste treatment methods	: Disposal must be done according to official regulations, Do not dispose of with domestic waste, Do not discharge into drains or the environment.
Contaminated container and packaging	: No additional information available
Additional information	: No additional information available
Product/Packaging disposal	: Recycle or dispose of in compliance with current legislation

recommendations

Mowital® BA Compiled according to GB/T 16483, GB/T 17519 Revision date: 7/4/2023

SECTION 14 Transport information

Overland transport (JT/T 617)	Transport by sea	Air transport
UN number		
Not regulated for transport	Not regulated for transport	Not regulated for transport
Proper shipping name		
Not applicable	Not applicable	Not applicable
Transport document description		
Not applicable	Not applicable	Not applicable
Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
Packing group		
Not applicable	Not applicable	Not applicable
Environmental hazards		
Not applicable	Not applicable	Not applicable

Special transport precautions

Overland transport (JT/T 617)

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15 Regulatory information

New Chemical Substance Environmental Management Registration Measures (MEE Order 12 of 2020)		
Inventory of Existing Chemical Substances :	Contains listed substance(s)	
in China (IECSC)	Vinyl acetal polymers, acetal butyrals (CAS-No. 70775-95-0)	
	Water (CAS-No. 7732-18-5)	

SECTION 16 Other information

Data sources	: Information provided by the manufacturer
	Supplier Safety Data Sheet

Mowital ® BA Compiled according to GB/T 16483, GB/T 17519 Revision date: 7/4/2023

Department issuing data specification sheet:	: KFT Chemieservice GmbH Im Leuschnerpark 3 D-64347 Griesheim
	Phone: +49 6155-8981-400 Fax: +49 6155 8981-500 SDS Service: +49 6155 8981-522
Contact person	: Dr. Christian Rank
Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative
KET SDS CN 01	

KFT SDS CN 01

Mowital® BA Compiled according to GB/T 16483, GB/T 17519 Revision date: 7/4/2023

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable