

Mowital® SB

according to JIS Z 7253: 2019

Issue date: 07/06/2023 Revision date: 07/06/2023 Version: 7.00

1. Chemical product and company identification

Substance name : Mowital® SB

Type of product : Polymer

Article number : 200004

CAS-No. : 68648-78-2 or 63148-65-2

Recommended use of the chemical and restrictions on use

Recommended use : For industrial use only; Temporary binder for ceramics; Coating; Adhesives; 3D

printing; Additive/binder for primer; Printing ink.

product-safety@kuraray.com

Company information

Distributor

Kuraray Co., Ltd.

100-0004 Otemachi, Chiyoda-ku Tokiwabashi Tower 2-6-4

Tokyo, Japan

Telephone: +81-3-6701-1422 Pvbinquiry.Jp@kuraray.com

Manufacturer

Kuraray Europe GmbH Philipp-Reis-Str. 4

65795 Hattersheim am Main

Germany

Telephone: +49-69-305-85300 Technical Contact: +49-69-305-13345 E-mail: product-safety@kuraray.com

Emergency telephone number

Emergency number : +81-3-6701-1422 or +81-3689-08677 (Access Code: 334674)

2. Hazards identification

No labelling applicable

Other hazards which do not result in classification

Other hazards which do not result in

classification

: Fine particles may form explosive mixtures with air. Prevent dust accumulation to minimize explosion hazard. This material does not ignite easily; however, feasible

E-mail address of competent person responsible for the SDS

precautions against dust explosion are recommended.

3. Composition/information on ingredients

Distinction of substance or mixture : Substance
Chemical name : Polyvinyl butyral
Synonyms : SB 60 HH, SB 70 HH

Name	Concentration (%)	Formula	Reference number in the gazette list		CAS-No.
			CSCL No.	ISHL No.	
Polyvinyl butyral	> 97.5	-	6-708	6-708	68648-78-2 or 63148-65-2

JP - en 1/6

Mowital® SB

according to JIS Z 7253: 2019

Name	Concentration (%)	Formula	Reference number in the gazette list		CAS-No.
			CSCL No.	ISHL No.	
water (Impurity)	< 2.4	H2O	2-(4)-1220	2-(4)-1220	7732-18-5
butyraldehyde (Impurity)	< 0.05	-	(2)-494	(2)-494	123-72-8
sodium chloride (Impurity)	< 0.05	CINa	(1)-236	(1)-236	7647-14-5

4. First aid measures

First aid measures

First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

Most Important Symptoms/Effects

Symptoms/effects : Dust may irritate the respiratory tract, skin and eyes.

Notes to physician

Other medical advice or treatment : Treat symptomatically.

5. Fire fighting measures

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire, Water spray, Dry

powder, Foam

Unsuitable extinguishing media : Strong water jet

Fire hazard The product is not flammable. The product may form dust and build up

electrostatic charges, which may produce an electric spark (ignition source). Proper grounding procedures to avoid static electricity should be followed.

Reactivity in case of fire : Direct contact with eyes may case temporary irritation. Dust may irritate throat

and respiratory system and cause coughing.

Hazardous decomposition products in case of : Toxic fumes may be released: Carbon monoxide, Carbon dioxide

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

> Self-contained breathing apparatus. Complete protective clothing.

Other information Do not allow run-off from fire fighting to enter drains or water courses.

Disposal must be done according to official regulations.

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. During

fire, gases hazardous to health may be formed.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Avoid inhalation of dust and contact with skin and eyes.

> JP - en 2/6

Mowital® SB

according to JIS Z 7253: 2019

For non-emergency personnel

Emergency procedures : Ventilate spillage area.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.

For further information refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Environmental precautions : Avoid sub-soil penetration.

Environmental manager must be informed of all releases.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Avoid dust formation.

Dust can be vacuumed with a vacuum cleaner containing a HEPA (High

Efficiency Particulate Air) filter.

Do not use compressed air for cleaning.

Other information : Disposal must be done according to official regulations.

7. Handling and storage

Handling

Technical measures : Provide adequate precautions, such as electrical grounding and bonding, or inert

atmospheres.

Precautions for safe handling : Ensure good ventilation of the work station.

Wear personal protective equipment. Avoid creating or spreading dust. The material must not be deposited in large quantities, especially on horizontal surfaces, as it could become released into the air from there, form flammable dust clouds and contribute to secondary explosions. Any unavoidable deposit of dust must be regularly removed. Prevent build-up of electrostatic charges (e.g, by grounding). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide appropriate exhaust ventilation at places of dust forming. Use only in well-ventilated areas. Observe recognised industrial

hygiene measures. Avoid prolonged and repeated contact with skin.

Prevents handling of incompatible substances : No data available

or mixtures

mixtures

Hygiene measures : Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

Storage

Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Store in original

tightly closed container.

: No data available

Material used in packaging/containers

Information about storage in one common

storage facility

: Keep away from strong acids and strong oxidizers. Keep away from food, drink

and animal feeding stuffs

8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Ensure good ventilation of the work station

JP - en 3/6

Mowital® SB

according to JIS Z 7253: 2019

Protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment, Breathing

apparatus with filter, A-P2, EN 143, Short term exposure, Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local

exhaust

Hand protection : In case of repeated or prolonged contact wear gloves, Nitrile rubber, ISO 374-1,

Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer, Please follow the instructions related to the permeability and the penetration time provided by the manufacturer, Gloves must be replaced after each use and

whenever signs of wear or perforation appear

Eye protection : Sealed safety goggles, ISO 16321-1

Skin and body protection : Wear suitable protective clothing, EN ISO 13688

Environmental exposure controls : Avoid release to the environment.

9. Physical and chemical properties

Physical state : Solid
Appearance : Powder

Colour : colorless, appearance white.

Odour : odourless

: No data available pН Relative evaporation rate (butylacetate=1) : Not applicable Melting point : No data available Freezing point : Not applicable Boiling point : No data available Flash point : Not applicable Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability : No data available Vapour pressure : Not applicable : Not applicable Relative vapour density at 20° C Relative density : No data available : No data available Density

Partition coefficient n-octanol/water (Log Pow) : No data available Explosive properties : Product is not explosive. Explosive limits (vol %) : No data available Oxidising properties : Non oxidizing Viscosity, dynamic : Not applicable Viscosity, kinematic : Not applicable VOC content : < 2.5 %

Dust explosion category : ST 1 - Weak explosion

Additional information : Vicat softening temperature 55 - 63 °C DIN EN ISO 306

: No data available

: No data available

10. Stability and reactivity

Relative gas density

Solubility

Reactivity : The product is non-reactive under normal conditions of use, storage and

transport.

Chemical stability : Stable under normal conditions.

JP - en 4/6

Mowital® SB

according to JIS Z 7253: 2019

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Avoid creating or spreading dust.

Incompatible materials : Strong oxidizing agent. Strong acids.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

11. Toxicological information

Acute toxicity (oral) : (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : (Based on available data, the classification criteria are not met)
Skin corrosion/irritation : (Based on available data, the classification criteria are not met)
Serious eye damage/irritation : (Based on available data, the classification criteria are not met)

Respiratory sensitization : No data available Skin sensitization : No data available

Respiratory or skin sensitisation : (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : (Based on available data, the classification criteria are not met)
Carcinogenicity : (Based on available data, the classification criteria are not met)
Reproductive toxicity : (Based on available data, the classification criteria are not met)
STOT-single exposure : (Based on available data, the classification criteria are not met)
STOT-repeated exposure : (Based on available data, the classification criteria are not met)

Aspiration hazard : No data available

Polyvinyl butyral (68648-78-2 or 63148-65-2)			
Viscosity, kinematic	Not applicable		

12. Ecological information

Ecotoxicity

Hazardous to the aquatic environment, short- : (Based on available data, the classification criteria are not met)

term (acute)

Hazardous to the aquatic environment, long- : (Based on available data, the classification criteria are not met)

term (chronic)

Persistence and degradability

Bioaccumulative potential

Mobility in soil

Hazardous to the ozone layer

Ozone : No data available

13. Disposal considerations

Product/Packaging disposal : Recycle or dispose of in compliance with current legislation.

recommendations

Waste treatment methods : Disposal must be done according to official regulations.

Do not discharge into drains or the environment.

Do not dispose of with domestic waste.

JP - en 5/6

Mowital® SB

according to JIS Z 7253: 2019

14. Transport information

International Regulations

United Nations Recommendations on the Transport of Dangerous Goods (UN RTDG)	Transport by sea (IMDG)	Air transport (IATA)			
UN number					
Not applicable	Not applicable	Not applicable			
UN proper shipping name					
Not applicable	Not applicable	Not applicable			
Transport hazard class(es)					
Not applicable	Not applicable	Not applicable			
Packing group					
Not applicable	Not applicable	Not applicable			
Environmental hazards					
Not applicable	Not applicable	Not applicable			

Marine pollutant : Not applicable

Regulations in Japan

Other information : No supplementary information available

15. Regulatory information

National law

Other regulatory Information

Other information, restriction and prohibition

regulations

: Listed on the Japanese ENCS (Existing New Chemical Substances)

inventory, Fire Service Act: Designated combustible material (Synthetic resins,

others) (Storage limit: 3000 kg)

16. Other information

Data sources : Information provided by the manufacturer.

Article number : 200004

Other information : We hereby confirm that for Mowital® grades the Country of Origin is Germany.

Version/s 1.00 - 5.00 is/are not available in this language.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable

JP - en 6/6